

H2X-40 Turret System



EOD Capability:

With its wide range of motion and support for two HAMMER

Unmanned Shotguns the H2X-40 Turret System is ideal for counter IED missions where multiple disruptions are required during the exposing and neutralization of multiple threats.

Features:

- Supports 2 HAMMER Unmanned Shotguns**
- Remote positioning, sighting, & control**
- Supports manned & unmanned vehicles**
- Supports fixed sites and asset defense**
- Computer-based user interface**
- Weatherproof & ultra-low maintenance**
- Supports non-lethal, smoke, & grenades**



H2X-40 Turret System shown with two HAMMER Unmanned Shotguns

Empowering Unmanned Systems

www.moreindustries.com

H2X-40




Turret System Specifications

Specifications:

Dimensions:	Approximately 20" x 16" x 16" (51cm x 41cm x 41cm)
Weight:	Approximately 25 lbs (11.5 kg)
Materials:	Black anodized aluminum, stainless steel, & engineering plastics
Safety:	Emergency stop switch halts all functions
Power:	18–30 Volts DC – from battery system or power supply
Sighting:	Dual daylight visible bore sighted lasers and bore sighted camera
Maintenance:	Minimal – sealed design is waterproof and dustproof
Angular Rate:	15 degrees per second – pan & tilt
Motion Range:	340 degrees pan & tilt with both programmable & physical stops
Payload:	Dual HAMMER Unmanned Shotgun Systems or 40 lbs (18 kg)
Feedback:	Absolute encoders
Interface:	PC or notebook based graphical user interface with joystick input
Warranty:	1 year materials & workmanship

*Dual HAMMER
Unmanned Shotgun
Systems mounted on
the H2X-40 Turret.*

*The H2X-40 provides
sighting and operator
control of weapons on
robots, unmanned
systems, manned
vehicles, and fixed
“high-value-target”
installations.*



Empowering Unmanned Systems

www.moreindustries.com